

Cleveland

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
1996	VAS woods	H.E.T. Graphite	True Temper	231W	85-90	.335"	.580"	UST ProForce V2 75
1996	VAS woods	H.E.T. Graphite	True Temper	234W	85-90	.335"	.580"	UST ProForce V2 75
1996	VAS woods	Steel	True Temper	R,F	115	.335"	.600"	TT Dynamic Gold SL Wood
1996	VAS Ti - Diamond woods	Firm 85-100	True Temper	Firm	65	.335"	.600"	Distance Master Lite S flex
1996	VAS Ti - Square woods	MED 75-90	True Temper	Med.	64	.335"	.600"	Distance Master Lite R flex
1996	VAS+ Diamond Irons	Boron Composite	True Temper	Firm	90	.355"	.600"	Grafalloy ProLaunch Red (.355" taper tip S Flex)
1996	VAS+ Square Irons	Boron Composite	True Temper	Med.	93	.355"	.600"	Grafalloy ProLaunch Red (.355" taper tip R Flex)
1996	VAS+ Square Irons	Steel - Square	True Temper	Med.	115	.355"	.600"	TT-Dynalite Gold SL R Flex (.355" taper)
1996	VAS+Diamond	Steel - Diamond	True Temper	Firm	115	.355"	.600"	TT-Dynalite S300 Taper Tip
1996	VAS-Diamond 222l	Boron Composite	True Temper	Firm	90	.355"	.600"	Grafalloy ProLaunch Red (.355" taper tip S Flex)
1996	VAS- Square Irons	Steel-Square	True Temper	Med.	121	.355"	.580"	TT-Dynalite Gold SL R Flex (.355" taper)
1996	VAS- Square Irons	Boron Composite	True Temper	Med.	93	.355"	.600"	Grafalloy ProLaunch Red (.355" taper tip R Flex)
1998	Tour Action TA3 Irons	Dynamic	True Temper	S	121	.355"	.600"	TT-Dynamic Gold S300 Taper Tip
1998	VAS 792 Irons	Boron Composite	True Temper	Firm	66	.355"	.600"	Grafalloy ProLaunch Red (.355" taper tip S Flex)
1999	Quadpro CuTg/Cu/Cu Woods	Quadpro Pro Active	Grafalloy	R,S	64	.335"	.600"	Distance Master Lite
1999	Titanium Square Woods	Cleveland GT Wood	True Temper	Med.	65	.350"	.610"	Distance Master Lite R Flex (Shim 15)
1999	Tour Action TA5 Irons	Steel Variable Step	True Temper	S	117	.370"	.600"	TT-Dynalite Gold SL R Flex (.355" taper)
2000	Quad Pro Irons	Variable Step	True Temper	R	104	.370"	.600"	TT-Dynalite Gold SL R Flex (.355" taper)
2000	Quad Pro Ti Woods	Quad Pro Ti	True Temper	R, S	61	.335"	.600"	Gafalloy Pro Lite 45
2000	TA1 Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip
2000	TA1 Irons	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip
2000	TA1 Irons	Dynamic Gold	True Temper	X100	130	.355"	.600"	TT-Dynamic Gold X100 Taper Tip
2000	TA3 Irons	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
2000	TA3 Irons	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip
2000	TA3 Irons	Dynamic Gold	True Temper	X100	130	.355"	.600"	TT-Dynamic Gold X100 Taper Tip
2000	Tour Action Wedges	Dynamic Gold	True Temper	S	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip
2002	Launcher Driver (330)	Launcher Gold	Fujikura	R,S,X	65	.335"	.600"	Fujikura E160
2002	Launcher Fairway Woods	Launcher Gold	Fujikura	A,R,S,X	65	.335"	.600"	Fujikura E160
2002	Launcher Driver (400)	Launcher Gold	Fujikura	S,X	65	.350"	.600"	Fujikura E160 (SHIM 15)
2002	Launcher Driver (400)	Launcher Gold	Fujikura	R	55	.350"	.600"	Fujikura E160 (SHIM 15)
2002	TA-7 Irons	Release w/Sensicore	True Temper	Men's	121	.370"	.600"	TT-Dynalite Gold R300 w/Sensicore
2002	TA-5 Irons	Release w/Sensicore	True Temper	Men's	121	.370"	.600"	TT-Dynalite Gold R300 w/Sensicore
2003	TA-7 Tour Irons	Dynamic Gold	True Temper	R3,S3,X1	127-130	.370"	.600"	TT-Dynamic Gold (.370" tip)
2003	TA-7 Tour Irons	Graphite Design GAT 95	Graphite Design	R,S	97	.370"	.600"	UST ProForce Rv2 95 .370" Parallel Tip
2003	900 Form Forged Wedges	Dynalite Gold	True Temper	S3	130	.355"	.600"	TT-Dynalite Gold S300 Taper Tip
2003	588 Tour Action Wedges	Dynamic Gold (Black Chrome)	True Temper	S4	130	.355"	.600"	TT-Dynamic Gold S400 Taper Tip
2003	Launcher Driver (460)	Launcher Gold	Fujikura	S,X	65	.350"	.600"	Fujikura E160 (SHIM 15)
2003	Launcher Driver (460)	Launcher Gold	Fujikura	R	55	.350"	.600"	Fujikura E150 (SHIM 15)
2003	TA-2 Irons (Micro-Cavity)	Dynamic Gold	True Temper	R3,S3,X1	127 -130	.370"	.600"	TT-Dynamic Gold (.370" tip)
2003	TA-5 Irons	Release w/Sensicore	True Temper	Men's	121	.370"	.600"	TT Release w/Sensicore Men's Flex
2003	TA-5 Irons (Senior)	Graphite		A		.370"		MPF 2D3S A Flex
2004	TA-6 Irons	Action Lite Steel*	True Temper	A,R,S	121	.370"	.600"	TT-Dynalite Gold R300 w/Sensicore
2004	TA-6 Irons	Action Lite Graphite		A,R,S	75-83	.370"	.600"	UST Comp 75
2004	CG10 Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip
2004	CG10 Black Pearl Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip
2004	Launcher Titanium Fairway Woods	Launcher Graphite		A,R,S,X	55-65	.350"		Grafalloy ProLaunch 55 & 65 (.350" tip)
2004	Launcher 460 Comp driver	Launcher Comp Graphite	Fujikura	A,R	55	.350"		Fujikura E150 (SHIM 15)
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
2004	Launcher 460 Comp driver	Launcher Comp Graphite	Fujikura	S	65	.350"		Fujikura E160 (SHIM 15)
2004	Launcher Comp Fairway Woods	Launcher Comp Black		A,R / S,X	55 / 65	.350"		Fujikura E150 & E160 (Shim 15)
2004	Sport OS 410 Driver	UltraLite Graphite		R	55			Distance Master Lite
2004	Sport OS 410 Driver	UltraLite Graphite		S	65			Distance Master Lite
2004	Sport OS Fairway Woods	UltraLite Graphite		R	55			Distance Master Lite
2004	Sport OS Fairway Woods	UltraLite Graphite		S	65			Distance Master Lite

Cleveland

2004	CG1 Irons	Dynamic Gold	True Temper	R3	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip
2004	CG1 Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT-Dynamic Gold S300, X100 Taper Tip
2004	CG1 Irons	Graphite Design GAT 95	Graphite Design	R,S,X	96	.355"	.600"	Grafalloy ProLaunch Red (.355" taper tip)
2004	Launcher Irons	Action Lite Steel*	True Temper	A,R,S	111	.370"	.600"	TT- Dynalite
2004	Launcher Irons	Action Lite Graphite		A,R,S	75-83	.370"	.600"	UST Comp Series
2004	LDI (Long Driving Iron)	Dynamic Gold SL	True Temper	R3,S3,X1	106-109	.370"	.600"	TT-Dynamic Gold SL
2004	LDI (Long Driving Iron)	Aldila NV 85 Hybrid	Aldila	R, S	84	.370"	.630"	Aldila NV 85 Hybrid
2004	LDI (Long Driving Iron)	Aldila NV 105	Aldila	R, S	105	.370"	.630"	Aldila NV 105 Hybrid
2005	Halo Hybrids	Halo Graphite		A,R,S	75/78/83	.370"	.600"	Distance Master Hybrid
2005	Halo Hybrids	Dynamic Gold SL	True Temper	R3, S3, X1	106-109	.370"	.600"	TT-Dynamic Gold SL
2005	CG2 Irons	Grafalloy Blue	Grafalloy	R,S,X	86-89	.355"	.600"	Grafalloy ProLaunch Red (.355" taper tip)
2005	CG2 Irons	Dynamic Gold	True Temper	R3	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip
2005	CG2 Irons	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip
2005	CG4 Irons	Action Lite Graphite		A,R,S	75-83	.370"	.600"	UST Comp 75
2005	CG4 Irons	Action Lite Steel*	True Temper	A,R,S	111	.370"	.600"	TT-Dynalite
2005	Launcher Ti460 & Ti460 Offset Driver	Cleveland Launcher Silver Graphite		A,R	55	.350"	.600"	Grafalloy ProLaunch Blue 55
2005	Launcher Ti460 & Ti460 Offset Driver	Cleveland Launcher Silver Graphite		S,X	65	.350"	.600"	Grafalloy ProLaunch Blue 65
2005	Launcher Steel & Steel Offset Fairway Wds.	Cleveland Launcher Silver Graphite		A,R	55	.350"	.600"	Grafalloy ProLaunch Blue 55
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
2005	Launcher Steel & Steel Offset Fairway Wds.	Cleveland Launcher Silver Graphite		S,X	65	.350"	.600"	Grafalloy ProLaunch Blue 65
2005	CG11 Wedges	Wedge Flex Graphite		Wedge	106	.355"	.600"	UST ProForce RV2 115 (.355" taper / Special Order)
2005	CG11 Wedges	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip
2005	CG11 Wedges	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT-Dynamic Golf S3, X1 Taper Tip
2005	W-Series Launcher Driver (Women's)	W-Series Launcher Graphite		Women's	67	.350"	.590"	Maltby L-Tech L Flex (SHIM 15)
2005	W-Series Launcher Fairway Woods (Women)	W-Series Launcher Graphite		Women's	67	.335"	.590"	Maltby L-Tech L Flex
2005	W-Series Offset Driver (Women's)	W-Series Offset Graphite		Women's	66	.350"	.590"	Maltby L-Tech L Flex
2005	W-Series Offset Fairway Woods (Women's)	W-Series Offset Graphite		Women's	66	.350"	.590"	Maltby L-Tech L Flex
2005	W-Series Launcher Irons (Women's)	W-Series Offset Graphite		Women's	66	.370"	.590"	Maltby L-Tech L Flex
2005	W-Series Offset TA-6 Irons (Women's)	W-Series Offset Graphite		Women's	66	.370"	.590"	Maltby L-Tech L Flex
2005	W-Series Halo Hybrid (Women's)	W-Series Launcher Graphite		Women's	67	.370"	.590"	Maltby L-Tech L Flex
2005	W-Series 588W Wedges (Women's)	W-Series Wedge Graphite		Women's	66	.370"	.590"	Maltby L-Tech L Flex
2005	W-Series 588W Wedges (Women's)	Dynalite	True Temper	Womens	110	.370"	.590"	TT-Dynalite L Flex
2006	Hi Bore Driver	Hi Bore Graphite	Fujikura	A,R	55	.350"	.600"	Fujikura E150 (Shim 15)
2006	Hi Bore Driver	Hi Bore Graphite	Fujikura	S,X	65	.350"	.600"	Fujikura E160 (Shim 15)
2006	Hi Bore Fairway Woods	Hi Bore Graphite	Fujikura	A,R	55	.350"	.600"	Fujikura E150 (Shim 15)
2006	Hi Bore Fairway Woods	Hi Bore Graphite	Fujikura	S,X	65	.350"	.600"	Fujikura E160 (Shim 15)
2006	Hi Bore Hybrid	Hi Bore Hybrid Silver Graphite		A,R	75/78	.370"	.600"	Grafalloy ProLaunch Blue Hy Hybrid
2006	Hi Bore Hybrid	Hi Bore Hybrid Silver Graphite		S	83	.370"	.600"	Aldila Gamer Hybrid
2006	Launcher LP Irons	Cleveland Action Lite Steel*	True Temper	A,R,S	111	.370"	.600"	TT-Dynalite
2006	CG4 Tour Irons	Cleveland Action Lite Tour Steel	True Temper	R, S	122	.370"	.600"	TT-TT Lite XL
2006	CG4 Tour Irons	ProLaunch Blue Graphite	Grafalloy	R, S	76	.370"	.600"	Aldila Gamer
2006	CG11 Black Pearl Wedges	Dynamic Gold	True Temper	Wedge	130	.355"	.600"	TT Dynamic Gold S300 taper tip
2006	Hi Bore XL Driver	Hi Bore XL Gold	Fujikura	A,R,S	55/55/60	.350"	.600"	Fujikura E150 & E160 (Shim 15)
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
2006	Hi Bore XL Tour Driver	Hi Bore XL Red Tour	Fujikura	R,S,X	60/65/70	.350"	.600"	Fujikura E160 (Shim 15)
2006	CG1 Black Pearl Irons	Dynamic Gold	True Temper	R300	125	.355"	.580"	TT Dynamic Gold R300 Taper Tip
2006	CG1 Black Pearl Irons	Dynamic Gold	True Temper	S300 / X100	130	.355"	.600"	TT Dynamic Gold S300 & X100 Taper Tip
2006	Hi Bore Irons	Hi Bore Silveer Graphite	Graphite Design	A,R,S	75/78/83	.370"	.600"	Graphite Design G-Tech
2006	Hi Bore Irons	Hi Bore Steel*	True Temper	A,R,S	111	.370"	.600"	TT-Dynalite
2006	588 RS Wedge	Dynalite Steel	True Temper	Wedge	106	.355"	.600"	TT Dynalite Gold SL S300 Taper Tip
2006	588 DSG Wedge & 588 DSG RTG Wedge	Dynamic Gold	True Temper	Wedge	130	.355"	.600"	TT Dynamic Gold S300 taper tip
2006	W-Series Hi Bore XL Driver (Women's)	W-Series Women's Hi Bore Graphite		Women's	50	.350"	.600"	MPF 1D3S (Shim 15)
2006	W-Series Hi Bore XL Fairway Woods	W-Series Women's Hi Bore Graphite		Women's	50	.350"	.600"	MPF 1D3S (Shim 15)
2006	W-Series Hi Bore Irons (Women's)	Hi Bore Silver Graphite		Women's	83	.370"	.600"	Distance Master Low Torque L Flex
2006	W-Series 588 RS Wedges (Womens)	W-Series 588 RS Graphite		Women's	59	.370"	.585"	Grafalloy Pro Custom L/A Flex

