

Ping

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia.	Butt Dia.	Closest Replacement Shaft
1995	Eye 2 Irons	ZZ-Lite	True Temper	ZZ Lite	115	.355"	.600"	TT-Lite XL taper tip
1995	Zing 2 Irons	JZ Steel	True Temper	JZ	125	.355"	.600"	TT-Dynamic Gold S300 taper tip
1995	Zing 2 Irons	Karsten 101	Aldila	K-101	89	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
1995	Zing 2 Irons	Karsten 201	Aldila	K-201	89	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
1995	Zing 2 Irons	W54 Ping Graphite	Aldila/G Loomis	W54	93	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
1995	Zing 2 Irons	X65 Ping Graphite	Aldila/G Loomis	X65	97	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
1996	Ping ISI K Irons	JZ Steel	True Temper	JZ	115	.355"	.600"	TT-Dynamic Gold S300 taper tip
1996	Ping ISI K Irons	U44 Graphite	G. Loomis Graphite	U44	74	.355"	.580"	Grafalloy ProLaunch Red .355" taper tip
1996	Ping Zing Irons	JZ Steel	True Temper	JZ	125	.355"	.600"	TT-Dynamic Gold S300 taper tip
1996	Ping Zing 2 Irons	JZ Steel	True Temper	JZ	125	.355"	.600"	TT-Dynamic Gold S300 taper tip
1996	Ping Zing 2 Irons	101 Graphite	Aldila	K-101	89	.355"	.585"	Grafalloy ProLaunch Red .355" taper tip
1996	Zing Laminated Woods	JZ Steel	True Temper	JZ	132	.326"	.610"	TT-Dynamic Gold S300 ***
1998	ISI Irons	W54 Graphite	G. Loomis Graphite	W54	93	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
1998	TISI Titanium Woods	Ping 350 Series Cushion	Aldila & HST	A,R,S	57 - 62	.344"	.590"	Grafalloy ProLaunch 55 (.350" tip)
1998	Ping ISI K	JZ Cushion	True Temper	JZ	125	.355"	.610"	TT-Dynamic Gold S300 taper tip
2000	I3 O Size Irons	350 Series by Aldila	Aldila	L	82	.355"	.580"	Distance Master Lite (rebore heads)
2000	I3 O Size Irons	350 Series by Aldila	Aldila	R,S	72-85	.355"	.590"	Grafalloy ProLaunch Red .355" taper tip
2000	I3 O Size Irons	JZ Cushion	True Temper	R,S	119-124	.355"	.600"	TT-Dynamic Gold R3/S3 w/sensicore
2000	I3 O Size Irons	350 Series by Aldila	Aldila	Light	62.4	.355"	.580"	Distance Master Lite (rebore heads)
2000	I3 Blade Irons	JZ Steel	True Temper	R	119	.355"	.580"	TT-Dynamic Gold R300 taper tip
2000	I3 Blade Irons	JZ Steel	True Temper	S	124	.355"	.610"	TT-Dynamic Gold S300 taper tip
2001	Ti3 Driver & Fairway Woods	Ping 350 Series	Aldila	R,S,X	71	.350"	.600"	Grafalloy Pro Launch 75 (350 tip)
2002	TISI Tec Driver	Ping 350 Series	Aldila	R,S,X	71	.350"	.600"	Grafalloy Pro Launch 75 (350 tip)
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia.	Butt Dia.	Closest Replacement Shaft
2002	TISI Tec Fairway Woods	Ping 350 Series	Aldila	R,S,X	71	.350"	.600"	Grafalloy Pro Launch 75 (350 tip)
2003	Si3 Driver	Ping Si3 Graphite		R,S,X	60-64	.350"	.610"	Graphite Design YS-6+ (.350" tip)
2003	i3+ Blade Irons	CS Lite	True Temper	R,S	94-107	.355"	.600"	TT Dynalite Gold SL .355" taper tip
2003	i3+ Blade Irons	CS Lite	True Temper	X	123	.355"	.600"	TT Dynamic Gold X100 taper tip
2003	i3+ Blade Irons	i3+ Graphite		R,S	72-86	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
2003	Ping Wedges	Steel	True Temper		108	.355"	.600"	TT Dynamic Gold S300 taper tip
2003	G2 Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	TT Dynalite Gold SL .355" taper tip
2003	G2 Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	TT TT-Lite XL taper tip
2003	G2 Irons	CS Lite Steel	True Temper	S	122	.355"	.600"	TT Dynamic Gold S300 taper tip
2003	G2 Irons	TFC 100 Graphite		R,S	71-86	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
2003	G2 Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	TT Dynalite Gold SL .355" taper tip
2003	G2 EZ Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	TT TT-Lite XL taper tip
2003	G2 EZ Irons	CS Lite Steel	True Temper	X	122	.355"	.600"	TT Dynamic Gold S300 taper tip
2003	G2 EZ Irons	TFC 100 Graphite		R,S	71-86	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
2003	G2 L Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	TT Dynalite Gold SL .355" taper tip
2003	G2 L Irons	CS Lite Steel	True Temper	R,S,X	107	.355"	.600"	TT TT-Lite XL taper tip
2003	G2 L Irons	TFC 100 Graphite		R,S	71-86	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
2003	G2 L Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	TT Dynalite Gold SL .355" taper tip
2003	G2 HL Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	TT TT-Lite XL taper tip
2003	G2 HL Irons	CS Lite Steel	True Temper	X	122	.355"	.600"	TT Dynamic Gold S300 taper tip
2003	G2 HL Irons	TFC 100 Graphite		R,S	71-86	.355"	.600"	Grafalloy ProLogic taper tip
2003	G2 HL Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	TT Dynalite Gold SL .355" taper tip
2003	S 59 Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	TT TT-Lite XL taper tip
2003	S 59 Irons	CS Lite Steel	True Temper	X	122	.355"	.600"	TT Dynamic Gold S300 taper tip
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia.	Butt Dia.	Closest Replacement Shaft
2003	S 59 Irons	TFC 100 Graphite	UST / Aldila	R,S	71-86	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
2003	G2 Fairway Woods	JZ Steel	True Temper	R,S,X	106	.350"	.600"	TT-TX-90
2003	G2 Fairway Woods	TFC 100 Graphite	UST / Aldila	R,S,X	84-90	.350"	.600"	UST ProForce Fairway

Ping

2004	S 59 Tour Irons	ZZ 65 Lite	True Temper	Uniflex	108	.355"	.600"	TT-Dynamic Gold SL taper tip
2004	G2 Driver	TFC100D Graphite	UST / Aldila	R,S,X	65	.350"	.600"	Aldila Gamer (Shim 15)
2004	G2 Driver	TFC100D Graphite	UST / Aldila	Soft R	60	.350"	.600"	Aldila N-Gage 55 (SHIM 15)
2005	G5 Driver	TFC100D Graphite	UST / Aldila	R,S,X	65	.350"	.600"	Aldila Gamer (Shim 15)
2005	G5 Driver	TFC100D Graphite	UST / Aldila	Soft R	60	.350"	.600"	Aldila N-Gage 55 (SHIM 15)
2005	G5 Driver (Offset)	TFC100D Graphite	UST / Aldila	R,S,X	65	.350"	.600"	Aldila Gamer (Shim 15)
2005	G5 Driver (Offset)	TFC100D Graphite	UST / Aldila	Soft R	60	.350"	.600"	Aldila N-Gage 55 (SHIM 15)
2005	G5 Fairway Woods	TFC100D Graphite	UST / Aldila	R,S,X	65	.350"	.600"	Aldila Gamer (Shim 15)
2005	G5 Fairway Woods	JZ Steel	True Temper	R,S,X	106	.350"	.600"	TT-Dynamic Gold SL (.350" tip)
2005	G5 Hybrid	TFC100H Graphite	UST / Aldila	Soft R	65	.355"	.600"	Aldila NV Hybrid 85 (.355" taper tip)
2005	G5 Hybrid	TFC100H Graphite	UST / Aldila	R	75	.355"	.600"	Aldila NV Hybrid 85 (.355" taper tip)
2005	G5 Hybrid	TFC100H Graphite	UST / Aldila	S	84	.355"	.600"	Aldila NV Hybrid 85 (.355" taper tip)
2005	G5 Hybrid	CS Lite	True Temper	R	94	.355"	.600"	TT Dynalite Gold SL .355" taper tip
2005	G5 Hybrid	CS Lite	True Temper	S	107	.355"	.600"	TT Dynalite Gold SL .355" taper tip
2005	G5 Irons	TFC100i Graphite	UST / Aldila	Soft R	65	.355"	.600"	Distance Master Lite A Flex (rebore heads)
2005	G5 Irons	TFC100i Graphite	UST / Aldila	R	75	.355"	.600"	UST ProForce Rv2 75 (rebore to .370")
2005	G5 Irons	TFC100i Graphite	UST / Aldila	S	84	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
Year	Description	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.	Closest Replacement Shaft
2005	G5 Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	TT Dynalite Gold SL .355" taper tip
2005	G5 Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	TT-Dynamic Gold Lite S300 taper tip
2005	i5 Irons	TFC100i Graphite	UST / Aldila	Soft R	65	.355"	.600"	Distance Master Lite A Flex (rebore heads)
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.	Closest Replacement Shaft
2005	i5 Irons	TFC100i Graphite	UST / Aldila	R,	75	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
2005	i5 Irons	TFC100i Graphite	UST / Aldila	S	84	.355"	.600"	Grafalloy ProLaunch Red .355" taper tip
2005	i5 Irons	CS Lite Steel	True Temper	R	94	.355"	.600"	TT Dynalite Gold SL .355" taper tip
2005	i5 Irons	CS Lite Steel	True Temper	S	107	.355"	.600"	TT-Dynamic Gold Lite S300 taper tip
2005	Tour Wedges	ZZ-65 Steel	True Temper	S	109	.355"	.600"	TT Dynalite Gold SL .355" taper tip
2006	Rapture Driver	TFC 909D Graphite				.350"		Grafalloy Saber (BB9016)
2006	Rapture Driver	VS Proto 65	Aldila	R,S,X	60/61/63	.350"		Aldila VS Proto 65
2006	Rapture Fairway Woods	TFC 909F Graphite				.350"		Grafalloy Saber (BB9016)
2006	Rapture Fairway Woods	VS Proto 85	Aldila			.350"		Aldila VS Proto 85
2006	Rapture Hybrid	TFC 909H Graphite				.355"		Aldila Gamer (Rebore heads to .370")
2006	Rapture Hybrid	VS Proto 80	Aldila			.355"		Aldila VS Proto 80 Taper Tip (Special Order)
2006	Rapture Irons	AWT Steel		R,S,X	99/108/117	.355"		TT Dynalite Gold SL Taper Tip
2006	Rapture Irons	TFC 909i Graphite		R,S	68/73	.355"		CER ACD (Rebore heads to .370")
2006	S58 Irons	AWT Steel		R,S,X	99/108/117	.355"		TT Dynalite Gold SL Taper Tip
2006	iWedge	AWT Steel		R,S	99/108	.355"		TT Dynalite Gold SL Taper Tip
2007	Rhapsody Driver	ULT 129 D Graphite		L	51	.350"		MPF Distance (BB9016)
2007	Rhapsody Fairway Woods	ULT 129 F Graphite		L	53	.350"		MPF Distance (BB9016)
2007	Rhapsody Hybrids	ULT 129 H Graphite		L	55	.355"		MPF Distance (BB9016)
2007	Rhapsody Irons	ULT 129 I Graphite		L	44	.355"		MPF Distance (BB9016)
2007	G5 L Driver	ULT 50 D Graphite		L	55	.350"		MPF Distance (BB9016)
2007	G5 L Fairway Woods	ULT 50 F Graphite		L	51	.350"		MPF Distance (BB9016)
2007	G5 L Hybrids	ULT 50 H Graphite		L	62	.350"		
2007	G10 & G10 Draw Drivers	TFC 129 D Graphite		R,S,X	60/63/68	.350"		Aldila N-Gage 65 (BB9016)
2007	G10 & G10 Draw Fairway Woods	TFC 129 F Graphite		R,S,X	64/68/71	.350"		Aldila N-Gage 65 (BB9016)
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip Dia.	Butt Dia.	Closest Replacement Shaft
2007	G10 Hybrids	TFC 129 H Graphite		R,S,X	74/76/77	.355"		
2007	G10 Irons	AWT Steel		R,S,X	99/108/117	.355"		TT Dynalite Gold SL Taper Tip
2007	G10 Irons	TFC 129I Graphite		R,S	74/86	.355"		MPF Series Iron Shafts (Rebore heads to .370")
2007	I10 Irons	AWT Steel		R,S,X	99/108/117	.355"		TT Dynalite Gold SL Taper Tip
2007	I10 Irons	TFC 129I Graphite		R,S	74/86	.355"		MPF Series Iron Shafts (Rebore heads to .370")

Ping

2007	Tour W Wedges	AWT Steel		R,S,X	99/108/117	.355"		TT Dynalite Gold SL Taper Tip
2008	Rapture V2 Driver	TFC 939D Graphite		R,S,X	52 - 62	.350"		MPF Distance (BB9016)
2008	Rapture V2 Fairway Woods	TFC 939F Graphite		R,S,X	59 - 69	.350"		MPF Series Wood Shafts (BB9016)
2008	Rapture V2 Hybrid	TFC 939H Graphite		R,S,X	63 - 69	.355"		MPF Distance (Rebore heads to .370")
2008	Rapture V2 Irons	TFC 939i Graphite		SR,S,X	57 - 79	.355"		MPF Distance (Rebore heads to .370")
2008	Rapture V2 Irons	AWT Steel	True Temper	R,S,X	99/108/117	.355"		TT Dynalite Gold SL Taper Tip
<b>*** must be rebored to accept a .335" parallel wood shaft</b>								
<b>2/3/09</b>								