

Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
1996	Titanium Bubble Driver	Bubble Graphite	Aldila, Fujikura, HST	R80, S90	88	.335"	.810"	UST Competition Series
1996	Oversize Burner Irons	Rifle	FM Precision	R80	123	.370"	.600"	FM Rifle 4.5
1996	Oversize Burner Irons	Bubble L60+	Aldila, Fujikura, HST	L60+	78	.370"	.810"	Aldila Value Series L flex
1996	Oversize Burner Irons	Bubble R80	Aldila, Fujikura, HST	R80	88	.370"	.810"	UST Competition Series
1996	Oversize Burner Irons	Bubble S90	Aldila, Fujikura, HST	S90	101	.370"	.810"	UST ProForce Rv2 95 S flex
1997	Burner Bubble Woods	Bubble R80	Aldila, Fujikura, HST	R80	65-69	.335"	.810"	Distance Master Lite
1997	Burner Bubble Woods	Bubble S90	Aldila, Fujikura, HST	S90	78-82	.335"	.810"	UST Competition Series Pro S flex
1997	Burner Bubble Woods	Bubble	Aldila, Fujikura, HST	Senior	70-75	.335"	.810"	UST Competition Series Pro A flex
1997	Burner Bubble Irons	Bubble L60+	Aldila, Fujikura, HST	L60+	60-65	.370"	.810"	Distance Master Lite L flex
1997	Tour Wedge	Wedge	FM Precision	Wedge	130	.370"	.600"	Royal Precision Rifle 6.5
1998	Burner Bubble Woods	Bubble Graphite	Aldila, Fujikura, HST	TS100	60-65	.405"	.810"	MPF MOI
1998	Ti Bubble II Woods	Bubble 2 R80	Aldila, Fujikura, HST	R80	76	.405"	.810"	MPF MOI
1998	Ti Bubble II Woods	Bubble 2 S90	Aldila, Fujikura, HST	S90	82	.405"	.810"	MPF MOI
1998	Burner Oversize Irons	Precision Rifle	Royal Precision	S90	125	.370"	.600"	Royal Precision Rifle 5.5
1998	LCG Burner Irons	Precision Rifle	Royal Precision	S90	125	.370"	.600"	Royal Precision Rifle 5.5
1998	LCG Burner Irons	Bubble 2	Aldila, Fujikura, HST	S90	109	.405"	.810"	UST ProForce Rv2 95 S flex
1998	LCG Burner Irons	Precision Rifle	Royal Precision	R80	112	.370"	.600"	FM Rifle 4.0
1998	Ti Bubble Woods	Ti Bubble R80+	Aldila, Fujikura, HST	R80+	75	.335"	.810"	Graphite Design YS-7+
1998	Ti Bubble Woods	Ti Bubble R90+	Aldila, Fujikura, HST	S90+	82	.335"	.810"	Graphite Design YS-7+
1998	Bubble 2 Irons	Ti Bubble 2 Graphite	Aldila, Fujikura, HST	R80	77	.395"	.810"	UST Competition Series Pro (SADI)
1998	Tour Bubble Irons	Bubble	Aldila, Fujikura, HST	R80	85	.395"	.810"	Grafalloy ProLaunch Red (SADI)
1998	Tour Preferred Woods	Tour Gold	Aldila	R,S	94	.335"	.600"	Graphite Design YS-7+
1998	Tour Preferred System 2 Woods	Flex Twist	Aldila	R,S	90	.335"	.600"	Graphite Design YS-7+
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
1999	Firesole Titanium Woods	Bubble R-80	Aldila, Fujikura, HST	R80	75	.405"	.810"	Graphite Design YS-7+
1999	Firesole Titanium Woods	Bubble S-90	Aldila, Fujikura, HST	S90	76	.405"	.810"	Graphite Design YS-7+
1999	Firesole Irons	Bubble Graphite	Aldila, Fujikura, HST	R80, S90		.395"	.810"	Grafalloy ProLaunch Red (SADI)
1999	Firesole Tour Irons	Dynamic Gold	True Temper	S300	127	.355"	.600"	TT Dynamic Gold S300 taper tip
2000	Taylor Made 300 Ti Driver	Taylor Made Tour	Fujikura	R80, S90	70-72	.350"	.600"	Graphite Design YS-7+ .350" Tip Dia.
2000	Taylor Made 320 Ti Driver	Taylor Made Tour	Fujikura	R80, S90	70-72	.350"	.600"	Graphite Design YS-7+ .350" Tip Dia.
2000	Taylor Made 360 Ti Driver	Taylor Made Bubble UL	Fujikura	R80, S90	70-72	.405"	.810"	Graphite Design YS-7+ .350" Tip Dia.
2000	Supersteel Metalwoods	Bubble Graphite	HST	R80, S90	75	.405"	.810"	Graphite Design YS-7+ .350" Tip Dia.
2000	Supersteel Metalwoods	Steel Shafts	Royal Precision	R80, S90		.405"	.600"	TT-TT Lite XL Wood (SADW)
2000	Supersteel Irons	Bubble Graphite	HST	R80, S90		.395"	.810"	Grafalloy ProLaunch Red (SADI)
2000	Supersteel Irons	Precision Rifle	Royal Precision	R80	115	.395"	.600"	RP-Rifle 4.5 flex with SADI
2000	Firesole Woods (Stainless)	Precision Rifle	Royal Precision	R80	115	.395"	.600"	RP-Rifle 4.5 flex with SADW
2000	Rescue Wood	Precision Rifle	Royal Precision	R80, S90		.395"	.600"	TT-TT Lite XL Wood (SADW)
2000	Rescue Wood	Bubble Graphite	HST	R80, S90		.395"	.810"	Grafalloy ProLaunch Red (SADI)
2001	Taylor Made 300 Fairway Woods	Taylor Made Tour	Fujikura	R80, S90	76-78	.350"	.600"	Graphite Design YS-7+ .350" Tip Dia.
2002	Taylor Made 200 Series Metalwoods	Lite Graphite	Fujikura	R80,S90	63,65	.350"	.600"	Graphite Design YS-6+ .350" Tip Dia.
2002	Taylor Made 200 Series Metalwoods	Rifle	Royal Precision	R80,S90	111	.350"	.600"	TT-TT Lite XL Wood (SADW)
2002	Taylor Made 200 Series Irons	Lite Graphite		M,R,S		.370"	.600"	UST Competition Series Pro
2002	Taylor Made 200 Series Irons	Steel		M,R,S		.370"	.600"	TT Dynalite
2002	"Retro" Spoon & Raylor	HM-40 Tour Gold	Aldila	R,S,X	93-98	.335"	.600"	Graphite Design YS-7+
2002	"Retro" Spoon & Raylor	Dynamic Gold	True Temper	R3,S3,X1	122-120	.335"	.600"	TT-Dynamic Gold Parallel Tip
2002	300 Forged Irons	Tour Flighted Rifle	Royal Precision	5.0,6.0,6.5	109-115	.355"	.600"	Royal Precision Tour Flighted Rifle
2002	320 Irons	Lite Flighted Constant Weight Graphite		M,R,S,TS		.370"		Grafalloy ProLaunch Red
2002	320 Irons	Flighted Constant Weight Rifle	Royal Precision	R,S,TS		.370"	.600"	RP-Tour Flighted Rifle
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
2002	360 Irons	Lite Flighted Constant Weight Graphite		M,R,S,TS		.370"		Grafalloy ProLaunch Red
2002	360 Irons	Flighted Constant Weight Rifle	Royal Precision	R,S,TS		.370"	.600"	RP-Tour Flighted Rifle
2002	300 Series Wedges	Lite Flighted Constant Weight Graphite		M,R,S,TS		.370"		Maltby MPF Fairway (SHIM 15)

2002	300 Series Wedges	Flighted Constant Weight Rifle	Royal Precision	R,S,TS		.370"	.600"	RP-Tour Flighted Rifle
2002	R510 Driver	M.A.S.2 - 75 Graphite		R,S,TS	75	.350"	.600"	Graphite Design YS-7+ .350" Tip Dia.
2002	R540 Driver	M.A.S.2 - 70 Graphite		M,R,S,TS	70	.350"	.600"	Graphite Design YS-7+ .350" Tip Dia.
2002	R540 Driver	M.A.S.2 - 70 Graphite		L	70	.350"	.600"	UST ProForce Lady L flex (SHIM15)
2002	R580 Driver	M.A.S.2 - 60 Graphite		M,R,S,TS	60	.350"	.700"	Graphite Design YS-6+ .350" Tip Dia.
2002	R580 Driver	M.A.S.2 - 60 Graphite		L	60	.350"	.700"	UST ProForce Lady L flex (SHIM15)
2002	RAC Wedges	Dynamic Gold	True Temper	Wedge	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip
2002	RAC Irons	Taylor Made Ultralite Graphite			70	.370"	.605"	Maltby MPF 3B3M
2003	R580 Fairway Woods	M.A.S.2 - 60 Graphite		R,S	63 / 64	.350"	.700"	Aldila NV 65
2003	Burner 420 Driver	Burner Lite		M,R,S	63	.350"	.600"	Graphite Design YS-6+ .350" Tip Dia.
2003	R510 TP Driver (390cc)	Speeder 757	Fujikura	R,S	75	.335"	.620"	Fujikura Speeder 757 (Special Order)
2003	V-Steel Fairway Woods	M.A.S.2 - FW Graphite		L,M,R,S,TS	73	.350"	.600"	UST IROD Fairway .350" tip
Year	Description	Shaft Description	Shaft Manufacture	Flex	Weight	Tip Dia.	Butt Dia.	Closest Replacement Shaft
2003	V-Steel Fairway Woods	Dynamic Gold Lite	True Temper	R3,S3,X1	102	.350"	.610"	TT-Dynamic Gold Lite .335" (SHIM15)
2003	Rescue Mid (Utility Wood)	Taylor Made Ultralite Graphite		L,M,R,S	65	.370"	.600"	UST IROD Utility .370" tip
2003	Rescue Mid (Utility Wood)	Precision MicroTaper Steel	Royal Precision	R,S	100	.370"	.600"	TT-Dynalite R/S Iron shaft
2003	RAC OS Irons	Graphite		R,S		.370"	.600"	UST ProForce Rv2 75
2003	RAC OS Irons	Rifle Steel	Royal Precision	R80, S90	107 / 111	.370"	.600"	Rifle 4.5 R flex and 5.5 S flex
2003	RAC LT Irons	Graphite				.370"	.600"	UST ProForce Rv2 75
2003	RAC LT Irons	Rifle Steel	Royal Precision	5.0, 5.5, 6.0	109 - 113	.370"	.600"	RP Rifle 5.0 / 5.5 / 6.0
2003	RAC LT Irons	Rifle Steel	Royal Precision	6.5	115	.370"	.600"	Rifle 6.5
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
2003	RAC MB Irons	Rifle Steel	Royal Precision	5.0, 5.5, 6.0	109 - 113	.355"	.600"	RP Rifle 5.0 / 5.5 / 6.0
2003	R540XD Driver (400cc)	M.A.S. 2 55		M,R,S,X	55	.350"	.600"	Grafalloy ProLaunch 55
2003	R580XD Driver (440cc)	M.A.S. 2 65		M,R,S,X	65	.350"	.600"	Grafalloy ProLaunch 65
2003	R580XD TP Driver (440cc)	Custom Shaft Options Available				.335"		Custom Shaft Options Available
2003	RAC Combo Irons (CB)	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT-Dynamic Gold S3, X1 Taper Tip
2003	RAC Combo Irons (CB)	Dynamic Gold	True Temper	R3	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip
2003	Rescue Mid TP (Utility Wood)	Dynamic Gold	True Temper	S4, X1	131	.355"	.600"	TT-Dynamic Gold taper tip
2003	Rescue Mid TP (Utility Wood)	Vista Pro 90	Fujikura	S,X	90	.335"	.600"	Graphite Design YS-7+
2004	R7 Quad Driver	M.A.S. 7-65		R,S	65	.350"	.600"	Graphite Design YS-6+ .350" Tip Dia.
2004	R5 Dual Driver (Type D Draw)	M.A.S.2 5-55		M,R,S,TS	57	.350"	.600"	Graphite Design YS-5+ (BB9008)
2004	R5 Dual Driver (Type N Neutral)	M.A.S.2 5-65		M,R,S,TS	63	.350"	.600"	Graphite Design YS-6+ .350" Tip Dia.
2005	R5 TP Driver	Custom Shaft Options Available				.335"		Custom Shaft Options Available
2004	CGB Irons	Taylor Made Ascending Mass Grap.		R,S	60-70	.370"	.600"	UST Competition Series Pro
2004	CGB Irons	R7 T Step Ascending Mass Steel		R,S,	90-100-110	.370"	.600"	TT Dynalite Gold SL
2004	TP Irons	Dynamic Gold	True Temper	S300	127	.355"	.600"	TT-Dyanmic Gold taper tip
2004	HT Irons	Graphite Shafts				.370"	.600"	TT-Dynalite Gold SL
2005	R7 Quad TP Driver	Custom Shaft Options Available				.335"		Custom Shaft Options Available
2005	R7 HT Driver	7-55 M.A.S.2		R,S	56 / 57	.350"	.600"	Grafalloy ProLaunch 55
2005	R5 Dual Fairway Woods	M.A.S.2 Graphite Fairway Shaft				.350"	.600"	TT Dynalite Gold SL
2005	RAC OS Irons (New 2005 Model)	T-Step Ultralite Steel			90	.370"	.600"	Grafalloy ProCustom
2005	RAC OS Irons (New 2005 Model)	UG 65 Graphite			65	.370"	.600"	UST IROD Utility .370" tip
2005	Rescue Dual	Hybrid 65 Graphite		L,M,R,S	57-64	.370"	.600"	TT Dynalite Gold SL
2005	Rescue Dual	T-Step Ultralite Steel		R,S	88 / 91	.370"	.600"	Aldila NV Hybrid 85 (Spec. Order taper tip)
2005	Rescue Dual TP	Mitsubishi Diamana H	Mitsubishi Rayon	R,S,X	81-85	.355"	.600"	
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
2005	Rescue Dual TP	Dynamic Gold	True Temper	R300	127	.355"	.580"	TT-Dynamic Gold R300 Taper Tip
2005	Rescue Dual TP	Dynamic Gold	True Temper	S3, X1	130	.355"	.600"	TT-Dynamic Gold S3, X1 Taper Tip
2005	R7 XD Irons	T-Step Ultralite Steel			90	.370"	.600"	TT Dynalite Gold SL
2005	R7 CGB MAX Irons	T-Step Ascending Mass Steel				.370"	.600"	TT Dynalite Gold SL
2005	R7 425 Driver	RE*AX 65 Graphite	Fujikura	R, S	65	.350"	.600"	Fujikura E160 (BB9008)

2005	R7 425 TP Driver	RE*AX 55 TP Graphite	Fujikura	R,S,X	55	.335"	.600"	Fujikura E150
2005	R7 425 TP Driver	RE*AX 65 TP Graphite	Fujikura	R,S,X	65	.335"	.600"	Fujikura E160
2005	R7 425 TP Driver	RE*AX 75 TP Graphite	Fujikura	R,S,X	75	.335"	.600"	Graphite Design YS-7+
2006	R7 460 Driver	RE*AX 60 Graphite	Fujikura	M,R,S,X	56/58/65	.350"	.600"	Fujikura E160 (BB9008)
2006	R7 460 TP Driver	RE*AX 54 & RE*AX 60 Graphite	Fujikura	X	54/64	.335"	.600"	Fujikura E160
2006	R7 460 Draw Driver	RE*AX 55 Graphite	Fujikura	M	55	.350"	.600"	Fujikura E150 (BB9008)
2006	R7 460 Draw Driver	RE*AX 55 Graphite	Fujikura	R,S	55	.350"	.600"	Fujikura E150 (BB9008)
2006	R7 Steel Fairway Woods	RE*AX 70 Graphite	Fujikura	M,R,S,X	74	.350"		Graphite Design YS-7+ .350" Tip Dia.
2006	R7 Titanium Fairway Woods	RE*AX 60 Graphite	Fujikura	M,R,S,X	56	.350"		Fujikura E150 (BB9008)
2006	R7 TP Fairway Wood	RE*AX 85 Graphite	Fujikura	R,S,X	82	.335"		Graphite Design YS-7+
2006	R7 SuperQuad Driver	RE*AX 65 Graphite	Fujikura	M,R,S,X	65	.350"	.600"	Fujikura E160 (BB9008)
2006	R7 SuperQuad TP Driver	RE*AX 55 TP Graphite	Fujikura	R,S,X	55	.335"	.600"	Fujikura E150
2006	R7 SuperQuad TP Driver	RE*AX 65 TP Graphite	Fujikura	R,S,X	65	.335"	.600"	Fujikura E160
2006	R7 SuperQuad TP Driver	RE*AX 75 TP Graphite	Fujikura	R,S,X	75	.335"	.600"	Graphite Design YS-7+
2006	Burner Driver	RE*AX 50 Graphite	Fujikura	M,R,S,X	50	.350"	.620"	Fujikura E150 (BB9008)
2006	Burner TP Driver	RE*AX Superfast TP 50	Fujikura	R,S,X	50	.335"	.600"	Fujikura E150
2006	R7 Draw Fairway Woods	RE*AX 55 Graphite	Fujikura	M,R,S	55	.350"	.600"	Fujikura E150 (BB9008)
2006	R7 Draw Rescue	RE*AX 55 Graphite	Fujikura	M,R,S	59 - 64	.370"	.600"	MPF Distance Iron Shaft
2006	R7 Irons	T-Step Ultralite Steel		M,R,S,X	90	.370"		TT Dynalite Gold SL
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
2006	R7 Irons	RE*AX 65 Graphite	Fujikura	M,R,S,X	65	.370"		MPF Distance Iron Shaft
2006	R7 TP Irons	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT-Dynamic Gold S300 Taper Tip
2006	R7 Draw Irons	T-Step Ultralite Steel		M,R,S	90	.370"		TT Dynalite Gold SL
2006	R7 Draw Irons	RE*AX 55 Graphite	Fujikura	M,R,S	59 - 64	.370"	.600"	MPF Distance Iron Shaft
2006	RAC MB TP Irons	Tour Flighted Rifle	Royal Precision	5.0/6.0/6.5	119 - 130	.355"	.600"	Royal Precision Tour Flighted Rifle Taper Tip
2006	RAC Black TP Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT- Dynamic Gold S300 Taper Tip
2006	RAC Satin TP Wedges	Dynamic Gold	True Temper	S300	130	.355"	.600"	TT- Dynamic Gold S300 Taper Tip
2007	Rescue Burner	Re*Ax Superfast Graphite	Fujikura	M,R,S	66	.370"		MPF Distance Iron Shaft
2007	Rescue Burner	T Step Steel	FST	M,R,S	90	.370"	.600"	FST 90
2007	Rescue TP	RE*AX 85 Graphite	Fujikura	R,S,X	85	.355"		Grafalloy ProLaunch Red Taper Tip
2007	Rescue TP	Dynamic Gold Steel	True Temper	R300	127	.355"	.580"	TT Dynamic Gold R300 Taper Tip
2007	Rescue TP	Dynamic Gold Steel	True Temper	S300, X100	130	.355"	.600"	TT Dynamic Gold S3, X1 taper tip
2007	R7 CGB Max Driver	Re*Ax SF 45 Graphite	Mitsubishi Rayon		45	.350"		Grafalloy ProLaunch Blue 45 (.350" tip)
2008	R7 CGB Max Limited Driver	Taylor Made Interchangable Shaft System				.350"	.600"	
2008	Tour Burner Driver	RE*AX Superfast 60 Graphite	Fujikura	R,S,X	60	.350"		Fujikura E160 (BB9008)
2008	Tour Burner TP Driver	Custom Shaft Options Available		R,S,X		.335"		
2008	R7 CGB Max Driver	RE*AX SF 45 Graphite	Mitsubishi Rayon		45	.350"		Grafalloy ProLaunch Blue 45 (.350" tip)
2008	R7 CGB Max Fairway Woods	RE*AX SF 45 Graphite	Mitsubishi Rayon		45	.350"		Grafalloy ProLaunch Blue 45 (.350" tip)
2008	Burner Steel Fairway Woods	RE*AX 50 Fairway Graphite			50	.350"		Fujikura E150 (BB9008)
2008	Burner TP Fairway Woods	RE*AX SF TP 75 Graphite			75	.335"	.600"	Graphite Design YS-7+
2008	R7 CGB Max Rescue	RE*AX Superfast 55 Graphite	Mitsubishi Rayon	M,R,S	55	.370"	.600"	MPF Distance Iron Shaft
2008	Tour Burner Irons	RE*AX 65 Graphite	Fujikura	R,S,X	65	.370"		MPF Distance Iron Shaft
2008	Tour Burner Irons	Burner Steel			105	.370"		FST 90
2008	R7 CGB Max Irons	RE*AX Superfast 55 Graphite			55	.370"		MPF Distance Iron Shaft
Year	Club Model	Shaft Description	Shaft Manufacture	Flex	Shaft Wt.	Tip. Dia	Butt Dia.	Closest Replacement Shaft
2008	Z TP Wedges	Dynamic Gold	True Temper	Wedge	127	.355"	.600"	TT Dynamic Gold S300 Taper Tip
2008	R7 Limited Driver	Matrix Ozik XCON 5.5 Graphite	MCC	A,R,S	60	350"	.600"	
2008	Burner High Launch Fairway	RE*AX 70 Fairway Graphite		M,R,S	74	.350"	.600"	MPF Fairway (BB9008)
2008	Burner Tour Launch Fairway	RE*AX 70 Fairway Graphite		M,R,S	74	.350"	.600"	MPF Fairway (BB9008)
2008	Burner Rescue High Launch	RE*AX SF 60 Graphite		M,R,S	60	.370"	.600"	MPF Distance Iron Shaft
2008	Burner Rescue High Launch	RE*AX SF 85 H Graphite		R,S,X	90	.355"	.600"	Grafalloy ProLaunch Red Taper Tip
2008	Burner Rescue Tour Launch	RE*AX SF 60 Graphite		M,R,S	60	.370"	.600"	MPF Distance Iron Shaft
2008	Burner Rescue Tour Launch	RE*AX SF 85 H Graphite		R,S,X	90	.355"	.600"	Grafalloy ProLaunch Red Taper Tip

2008 Burner Plus Irons
2008 Tour Preferred Irons
2008 TP MB Irons

Rifle Tour Flighted Steel	Royal Precision	6	120	.370"	.355"	.600"	.355"	.600"	RP Rifle Tour Flighted 6.0 taper tip
---------------------------	-----------------	---	-----	-------	-------	-------	-------	-------	--------------------------------------

2/3/09